Journal of Ecology 2001
89, 1100–1104

Index

PRESIDENTIAL ADDRESS

Whittaker, J.B. Insects and plants in a changing atmosphere

STANDARD PAPERS

Aarssen, L.W. *see* **Bonser, S.D.**
Åberg, P. *see* **Engel, C.**
Abramsky, Z. *see* **Gersani, M.**
Aerts, R. *see* **Cornelissen, J.H.C.**
Aerts, R., Wallén, B., Malmer, N. & de Caluwe, H. Nutritional constraints on *Sphagnum*-growth and potential decay in northern peatlands, 292
Aguiar, M.R., Lauenroth, W.K. & Peters, D.P. Intensity of intra- and interspecific competition in coexisting shortgrass species, 40
Alatalo, J.M. *see* **Cornelissen, J.H.C.**
Andrade, A. *see* **Carrión, J.S.**
Arp, W.J. *see* **Heijmans, M.M.P.D.**
Arroyo, M.T.K. see **Cavieres, L.A.**
Awang, M. *see* **Osada, N.**

Basset, Y. *see* **Lepš, J.**
Baur, B. *see* **Groppe, K.**
Bazzaz, F.A. *see* **Sipe, T.W.**
Belgers, J.D.M. *see* **Olde Venterink, H.**
Bellingham, P.J., Walker, L.R. & Wardle, D.A. Differential facilitation by a nitrogen-fixing shrub during primary succession influences relative performance of canopy tree species, 861
Berendse, F. *see* **Heijmans, M.M.P.D.**
Berendse, F. *see* **van der Krift, T.A.J.**
Bergamini, A., Pauli, D., Peintinger, M. & Schmid, B. Relationship between productivity, number of shoots and number of species in bryophytes and vascular plants, 920
Bergeron, Y. *see* **Carcaillet, C.**
Beurskens, S. *see* **Wijesinghe, D.K.**
Blundell, A.G. & Peart, D.R. Growth strategies of a shade-tolerant tropical tree: the interactive effects of canopy gaps and simulated herbivory, 608
Bock, C.H. *see* **Thrall, P.H.**
Boller, T. *see* **Groppe, K.**
Bongers, F. *see* **Sterck, F.J.**
Bonser, S.D. & Aarssen, L.W. Allometry and plasticity of meristem allocation throughout development in *Arabidopsis thaliana*, 72
Bradshaw, R.H.W. *see* **Cowling, S.A.**
Braun, M. *see* **Magyari, E.**
van Breemen, N. *see* **Heijmans, M.M.P.D.**
Brown, JOEL S. *see* **Gersani, M.**
Burdon, J.J. *see* **Thrall, P.H.**
Burke, M.J.W. *see* **Thompson, K.**
Callaghan, T.V. *see* **Cornelissen, J.H.C.**
Callaghan, T.V. *see* **Phoenix, G.K.**
de Caluwe, H. *see* **Aerts, R.**
Carcaillet, C., Bergeron, Y., Richard, P.J.H., Fréchette, B., Gauthier, S. & Prairie, Y.T. Change of fire frequency in the eastern Canadian boreal forest during the Holocene: does vegetation composition or climate trigger the fire regime?, 930
Carleton, T.J. *see* **Chang, E.R.**
Carrión, J.S., Munuera, M., Dupré, M. & Andrade, A. Abrupt vegetation changes in the Segura Mountains of southern Spain throughout the Holocene, 783
Casper, B.B. *see* **Forseth, I.N.**
Cavieres, L.A. & Arroyo, M.T.K. Persistent soil seed banks in *Phacelia secunda* (Hydrophyllaceae): experimental detection of variation along an altitudinal gradient in the Andes of central Chile (33° S), 31
Chang, E.R., Jefferies, R.L. & Carleton, T.J. Relationship between vegetation and soil seed banks in an arctic coastal marsh, 367
Chaplin Iii, F.S. *see* **Cornelissen, J.H.C.**
Cirne, P. & Scarano, F.R. Resprouting and growth dynamics after fire of the clonal shrub *Andira legalis* (Leguminosae) in a sandy coastal plain in south-eastern Brazil, 351
Clarke, P.J., Kerrigan, R.A. & Westphal, C.J. Dispersal potential and early growth in 14 tropical mangroves: do early life history traits correlate with patterns of adult distribution?, 648
Condit, R. *see* **Harms, K.E.**
Cornelissen, J.H.C., Callaghan, T.V., Alatalo, J.M., Michelsen, A., Graglia, E., Hartley, A.E., Hik, D.S., Hobbie, S.E., Press, M.C., Robinson, C.H., Henry, G.H.R., Shaver, G.R., Phoenix, G.K., Gwynn Jones, D., Jonasson, S., Chaplin Iii, F.S., Molau, U., Neill, C., Lee, J.A., Melillo, J.M., Sveinbjörnsson, B. & Aerts, R. Global change and arctic ecosystems: is lichen decline a function of increases in vascular plant biomass?, 984
Couteron, P. & Lejeune, O. Periodic spotted patterns in semi-arid vegetation explained by a propagation-inhibition model, 616
Cowling, S.A., Sykes, M.T. & Bradshaw, R.H.W. Palaeovegetation-model comparisons, climate change and tree succession in Scandinavia over the past 1500 years, 227
Cullen, L.E., Stewart, G.H., Duncan, R.P. & Palmer, J.G. Disturbance and climate warming influences on New Zealand *Nothofagus* tree-line population dynamics, 1061

© 2001 British Ecological Society

Journal of Ecology 2001
89, 1100–1104

Index

PRESIDENTIAL ADDRESS

Whittaker, J.B. Insects and plants in a changing atmosphere

STANDARD PAPERS

Aarssen, L.W. *see* **Bonser, S.D.**
Åberg, P. *see* **Engel, C.**
Abramsky, Z. *see* **Gersani, M.**
Aerts, R. *see* **Cornelissen, J.H.C.**
Aerts, R., Wallén, B., Malmer, N. & de Caluwe, H. Nutritional constraints on *Sphagnum*-growth and potential decay in northern peatlands, 292
Aguiar, M.R., Lauenroth, W.K. & Peters, D.P. Intensity of intra- and interspecific competition in coexisting shortgrass species, 40
Alatalo, J.M. *see* **Cornelissen, J.H.C.**
Andrade, A. *see* **Carrión, J.S.**
Arp, W.J. *see* **Heijmans, M.M.P.D.**
Arroyo, M.T.K. see **Cavieres, L.A.**
Awang, M. *see* **Osada, N.**

Basset, Y. *see* **Lepš, J.**
Baur, B. *see* **Groppe, K.**
Bazzaz, F.A. *see* **Sipe, T.W.**
Belgers, J.D.M. *see* **Olde Venterink, H.**
Bellingham, P.J., Walker, L.R. & Wardle, D.A. Differential facilitation by a nitrogen-fixing shrub during primary succession influences relative performance of canopy tree species, 861
Berendse, F. *see* **Heijmans, M.M.P.D.**
Berendse, F. *see* **van der Krift, T.A.J.**
Bergamini, A., Pauli, D., Peintinger, M. & Schmid, B. Relationship between productivity, number of shoots and number of species in bryophytes and vascular plants, 920
Bergeron, Y. *see* **Carcaillet, C.**
Beurskens, S. *see* **Wijesinghe, D.K.**
Blundell, A.G. & Peart, D.R. Growth strategies of a shade-tolerant tropical tree: the interactive effects of canopy gaps and simulated herbivory, 608
Bock, C.H. *see* **Thrall, P.H.**
Boller, T. *see* **Groppe, K.**
Bongers, F. *see* **Sterck, F.J.**
Bonser, S.D. & Aarssen, L.W. Allometry and plasticity of meristem allocation throughout development in *Arabidopsis thaliana*, 72
Bradshaw, R.H.W. *see* **Cowling, S.A.**
Braun, M. *see* **Magyari, E.**
van Breemen, N. *see* **Heijmans, M.M.P.D.**
Brown, JOEL S. *see* **Gersani, M.**
Burdon, J.J. *see* **Thrall, P.H.**
Burke, M.J.W. *see* **Thompson, K.**
Callaghan, T.V. *see* **Cornelissen, J.H.C.**
Callaghan, T.V. *see* **Phoenix, G.K.**
de Caluwe, H. *see* **Aerts, R.**
Carcaillet, C., Bergeron, Y., Richard, P.J.H., Fréchette, B., Gauthier, S. & Prairie, Y.T. Change of fire frequency in the eastern Canadian boreal forest during the Holocene: does vegetation composition or climate trigger the fire regime?, 930
Carleton, T.J. *see* **Chang, E.R.**
Carrión, J.S., Munuera, M., Dupré, M. & Andrade, A. Abrupt vegetation changes in the Segura Mountains of southern Spain throughout the Holocene, 783
Casper, B.B. *see* **Forseth, I.N.**
Cavieres, L.A. & Arroyo, M.T.K. Persistent soil seed banks in *Phacelia secunda* (Hydrophyllaceae): experimental detection of variation along an altitudinal gradient in the Andes of central Chile (33° S), 31
Chang, E.R., Jefferies, R.L. & Carleton, T.J. Relationship between vegetation and soil seed banks in an arctic coastal marsh, 367
Chaplin Iii, F.S. *see* **Cornelissen, J.H.C.**
Cirne, P. & Scarano, F.R. Resprouting and growth dynamics after fire of the clonal shrub *Andira legalis* (Leguminosae) in a sandy coastal plain in south-eastern Brazil, 351
Clarke, P.J., Kerrigan, R.A. & Westphal, C.J. Dispersal potential and early growth in 14 tropical mangroves: do early life history traits correlate with patterns of adult distribution?, 648
Condit, R. *see* **Harms, K.E.**
Cornelissen, J.H.C., Callaghan, T.V., Alatalo, J.M., Michelsen, A., Graglia, E., Hartley, A.E., Hik, D.S., Hobbie, S.E., Press, M.C., Robinson, C.H., Henry, G.H.R., Shaver, G.R., Phoenix, G.K., Gwynn Jones, D., Jonasson, S., Chaplin Iii, F.S., Molau, U., Neill, C., Lee, J.A., Melillo, J.M., Sveinbjörnsson, B. & Aerts, R. Global change and arctic ecosystems: is lichen decline a function of increases in vascular plant biomass?, 984
Couteron, P. & Lejeune, O. Periodic spotted patterns in semi-arid vegetation explained by a propagation-inhibition model, 616
Cowling, S.A., Sykes, M.T. & Bradshaw, R.H.W. Palaeovegetation-model comparisons, climate change and tree succession in Scandinavia over the past 1500 years, 227
Cullen, L.E., Stewart, G.H., Duncan, R.P. & Palmer, J.G. Disturbance and climate warming influences on New Zealand *Nothofagus* tree-line population dynamics, 1061

© 2001 British Ecological Society

Dahir, S.E. *see* **Lorimer, C.G.**
Dajoz, I. *see* **Garnier, L.K.M.**
Destombe, C. *see* **Engel, C.**
Dodd, M. *see* **Silvertown, J.**
Dorken, M.E. & Eckert, C.G. Severely reduced sexual reproduction in northern populations of a clonal plant, *Decodon verticillatus* (Lythraceae), 339
Dovšiak, M., Frelich, L.E. & Reich, P.B. Discordance in spatial patterns of white pine (*Pinus strobus*) size-classes in a patchy near-boreal forest, 280
Duncan, R.P. *see* **Wells, A.**
Duncan, R.P. *see* **Cullen, L.E.**
Dupré, M. *see* **Carrión, J.S.**

Eckert, C.G. *see* **Dorken, M.E.**
Eckstein, R.L. & Karlsson, P.S. The effect of reproduction on nitrogen use-efficiency of three species of the carnivorous genus *Pinguicula*, 798
Ehleringer, J.R. *see* **Schwinning, S.**
Ehrlén, J. & van Groenendael, J. Storage and the delayed costs of reproduction in the understorey perennial *Lathyrus vernus*, 237
Engel, C., Åberg, P., Gaggiotti, O.E., Destombe, C. & Valero, M. Population dynamics and stage structure in a haploid-diploid red seaweed, *Gracilaria gracilis*, 436

Fischer, M. *see* **Kéry, M.**
Fonseca, C.R. & Ganade, G. Species functional redundancy, random extinctions and the stability of ecosystems, 118
Forseth, I.N., Wait, D.A. & Casper, B.B. Shading by shrubs in a desert system reduces the physiological and demographic performance of an associated herbaceous perennial, 670
Foster, R.B. *see* **Harms, K.E.**
Franco, M. *see* **Zuidema, P.A.**
Fransen, B. & de Kroon, H. Long-term disadvantages of selective root placement: root proliferation and shoot biomass of two perennial grass species in a 2-year experiment, 711
Fréchette, B. *see* **Carcaillet, C.**
Frelich, L.E. *see* **Dovšiak, M.**
Frelich, L.E. *see* **Friedman, S.K.**
Friedman, S.K., Reich, P.B. & Frelich, L.E. Multiple scale composition and spatial distribution patterns of the north-eastern Minnesota presettlement forest, 538
Fuentes-Utrilla, P. *see* **Tapias, R.**
Furukawa, A. *see* **Osada, N.**

Gaggiotti, O.E. *see* **Engel, C.**
Ganade, G. *see* **Fonseca, C.R.**
Ganade, G. *see* **Mesquita, R.C.G.**
García, D., Zamora, R., Gómez, J.M. & Hódar, J.A. Frugivory at *Juniperus communis* depends more on population characteristics than on individual attributes, 639
Gardescu, S. *see* **Singleton, R.**
Garnier, L.K.M. & Dajoz, I. The influence of fire on the demography of a dominant grass species of West African savannas, *Hyparrhenia diplandra*, 200
Gauthier, S. *see* **Carcaillet, C.**
Geber, M.A. *see* **Singleton, R.**
Gersani, M., Brown, JOEL S., O'brien, E.E., Maina, G.M. & Abramsky, Z. Tragedy of the commons as a result of root competition, 660
Gil, L. *see* **Tapias, R.**
Gómez, J.M. *see* **García, D.**
Gowing, D. *see* **Silvertown, J.**
Graglia, E. *see* **Cornelissen, J.H.C.**
Grime, J.PHILIP *see* **Thompson, K.**
van Groenendael, J. *see* **Ehrlén, J.**
van Groenendael, J. *see* **Rydgren, K.**
Groppe, K., Steinger, T., Schmid, B., Baur, B. & Boller, T. Effects of habitat fragmentation on choke disease (*Epichloë bromicola*) in the grass *Bromus erectus*, 247
Gwynn Jones, D. *see* **Cornelissen, J.H.C.**
Gwynn-Jones, D. *see* **Phoenix, G.K.**

Haines, L.M. *see* **O'connor, T.G.**
Harms, K.E., Condit, R., Hubbell, S.P. & Foster, R.B. Habitat associations of trees and shrubs in a 50-ha neotropical forest plot, 947
Hartley, A.E. *see* **Cornelissen, J.H.C.**
Heijmans, M.M.P.D., Berendse, F., Arp, W.J., Masselink, A.K., Klees, H., de Visser, W. & van Breemen, N. Effects of elevated carbon dioxide and increased nitrogen deposition on bog vegetation in the Netherlands, 268
Henry, G.H.R. *see* **Cornelissen, J.H.C.**
Hermy, M. *see* **Verheyen, K.**
Hik, D.S. *see* **Cornelissen, J.H.C.**
Hobbie, S.E. *see* **Cornelissen, J.H.C.**
Hódar, J.A. *see* **García, D.**
Hodgson, J.G. *see* **Thompson, K.**
Howard, T.G. The relationship of total and per-gram rankings in competitive effect to the natural abundance of herbaceous perennials, 110
Hubbell, S.P. *see* **Harms, K.E.**
Hupp, J.W. *see* **Zacheis, A.**
Hutchings, M.J. *see* **Wijesinghe, D.K.**

Ickes, K. *see* **Mesquita, R.C.G.**

Jakab, G. *see* **Magyari, E.**
Jefferies, R.L. *see* **Chang, E.R.**
John, E.A. *see* **Wijesinghe, D.K.**
Jonasson, S. *see* **Cornelissen, J.H.C.**

Kaltz, O. & Shykoff, J.A. Male and female *Silene latifolia* plants differ in per-contact risk of infection by a sexually transmitted disease, 99
Kankainen, T. *see* **Mäkilä, M.**
Karlsson, P.S. *see* **Eckstein, R.L.**
Kerrigan, R.A. *see* **Clarke, P.J.**
Kéry, M., Matthies, D. & Fischer, M. The effect of plant population size on the interactions between the rare

© 2001 British Ecological Society,

plant *Gentiana cruciata* and its specialized herbivore *Maculinea rebeli*, 418

Kirkham, F.W. Nitrogen uptake and nutrient limitation in six hill moorland species in relation to atmospheric nitrogen deposition in England and Wales, 1041

Klees, H. *see* **Heijmans, M.M.P.D.**

Köchy, M. & Wilson, S.D. Nitrogen deposition and forest expansion in the northern Great Plains, 807

Köchy, M. *see* **Peltzer, D.A.**

Kozlov, M.V. *see* **Zvereva, E.L.**

van der Krift, T.A.J. & Berendse, F. The effect of plant species on soil nitrogen mineralization, 555

de Kroon, H. *see* **Fransen, B.**

de Kroon, H. *see* **Rydgren, K.**

Kudo, G., Maeda, T. & Narita, K. Variation in floral sex allocation and reproductive success within inflorescences of *Corydalis ambigua* (Fumariaceae): pollination efficiency or resource limitation?, 48

Lambrinos, J.G. The expansion of history of a sexual and asexual species of *Cortaderia* in California, USA, 88

Lammi, A. *see* **Mustajärvi, K.**

Lauenroth, W.K. *see* **Aguiar, M.R.**

Lavorel, S. *see* **McIntyre, S.**

Lee, J.A. *see* **Cornelissen, J.H.C.**

Lee, J.A. *see* **Phoenix, G.K.**

Lejeune, O. *see* **Couteron, P.**

Lennartsson, T. & Oostermeijer, J.G.B. Demographic variation and population viability in *Gentianella campestris*: effects of grassland management and environmental stochasticity, 451

León, R.J.C. *see* **Perelman, S.B.**

Lepš, J., Novotný, V. & Basset, Y. Habitat and successional status of plants in relation to the communities of their leaf-chewing herbivores in Papua New Guinea, 186

Lorimer, C.G., Dahir, S.E. & Nordheim, E.V. Tree mortality rates and longevity in mature and old-growth hemlock-hardwood forests, 960

Maeda, T. *see* **Kudo, G.**

Magyari, E., Sümegi, P., Braun, M., Jakab, G. & Molnár, M. Retarded wetland succession: anthropogenic and climatic signals in a Holocene peat bog profile from north-east Hungary, 1019

Maina, G.M. *see* **Gersani, M.**

Mäkilä, M., Saarnisto, M. & Kankainen, T. Aapa mires as a carbon sink and source during the Holocene, 589

Malmer, N. *see* **Aerts, R.**

Manabe, T. *see* **Miura, M.**

Mandák, B. & Pyšek, P. Fruit dipersal and seed banks in *Atriplex sagittata*: the role of heterocarpy, 159

Mandák, B. & Pyšek, P. The effects of light quality, nitrate concentration and presence of bracteoles on germination of different fruit types in the heterocarpous *Atriplex sagittata*, 149

Marks, P.L. *see* **Singleton, R.**

Maron, J.L. & Simms, E.L. Rodent-limited establishment of bush lupine: field experiments on the cumulative effect of granivory, 578

Mas, R.E. *see* **Traveset, A.**

Masselink, A.K. *see* **Heijmans, M.M.P.D.**

Matthies, D. *see* **Kéry, M.**

McIntyre, S. & Lavorel, S. Livestock grazing in subtropical pastures: steps in the analysis of attribute response and plant functional types, 209

McKee, K.L. Root proliferation in decaying roots and old root channels: a nutrient conservation mechanism in oligotrophic mangrove forests?, 876

McKee, K.L. *see* **Middleton, B.A.**

Melillo, J.M. *see* **Cornelissen, J.H.C.**

Mesquita, R.C.G., Ickes, K., Ganade, G. & Williamson, G.B. Alternative successional pathways in the Amazon Basin, 528

Michelsen, A. *see* **Cornelissen, J.H.C.**

Middleton, B.A. & McKee, K.L. Degradation of mangrove tissues and implications for peat formation in Belizean island forests, 818

Minchinton, T.E. Canopy and substratum heterogeneity influence recruitment of the mangrove *Avicennia marina*, 888

Miura, M., Manabe, T., Nishimura, N & Yamamoto, S.-I. Forest canopy and community dynamics in a temperate old-growth evergreen broad-leaved forest, south-western Japan: a 7-year study of a 4-ha plot, 841

Molau, U. *see* **Cornelissen, J.H.C.**

Molnár, M. *see* **Magyari, E.**

Morgan, J.W. Seedling recruitment patterns over four years in an Australian perennial grassland community with different fire histories, 908

Mulder, C.P.H. & Ruess, R.W. Long-term effects of changes in goose grazing intensity on arrowgrass populations: a spatially explicit model, 406

Munuera, M. *see* **Carrión, J.S.**

Muotka, T. *see* **Virtanen, R.**

Mustajärvi, K., Siikamäki, P., Rytkönen, S. & Lammi, A. Consequences of plant population size and density for plant–pollinator interactions and plant performance, 80

Narita, K. *see* **Kudo, G.**

Neill, C. *see* **Cornelissen, J.H.C.**

Nishimura, N *see* **Miura, M.**

Nordheim, E.V. *see* **Lorimer, C.G.**

Novotný, V. *see* **Lepš, J.**

O'brien, E.E. *see* **Gersani, M.**

O'connor, T.G., Haines, L.M. & Snyman, H.A. Influence of precipitation and species composition on phytomass of a semi-arid African grassland, 850

Oesterheld, M. *see* **Perelman, S.B.**

Økland, R.H. *see* **Rydgren, K.**

Olde Venterink, H., Wassen, M.J., Belgers, J.D.M. & Verhoeven, J.T.A. Control of environmental variables on species density in fens and meadows:

© 2001 British Ecological Society,

importance of direct effects through community biomass, 1033

Olson, M.S. Patterns of fruit production in the subdioecious plant *Astilbe biternata* (Saxifragaceae), 600

Oostermeijer, J.G.B. *see* **Lennartsson, T.**

Osada, N., Takeda, H., Furukawa, A. & Awang, M. Leaf dynamics and maintenance of tree crowns in a Malaysian rain forest stand, 774

Pacheco, M.A.W. Effects of flooding and herbivores on variation in recruitment of palms between habitats, 358

Palmer, J.G. *see* **Cullen, L.E.**

Pardos, J.A. *see* **Tapias, R.**

Pauli, D. *see* **Bergamini, A.**

Peart, D.R. *see* **Blundell, A.G.**

Peintinger, M. *see* **Bergamini, A.**

Peltzer, D.A. & Köchy, M. Competitive effects of grasses and woody plants in mixed-grass prairie, 519

Peltzer, D.A. Plant responses to competition and soil origin across a prairie–forest boundary, 176

Perelman, S.B., León, R.J.C. & Oesterheld, M. Cross-scale vegetation patterns of Flooding Pampa grasslands, 562

Peters, D.P. *see* **Aguiar, M.R.**

Phoenix, G.K. *see* **Cornelissen, J.H.C.**

Phoenix, G.K., Gwynn-Jones, D., Callaghan, T.V., Sleep, D. & Lee, J.A. Effects of global change on a sub-arctic heath: effects of enhanced UV-B radiation and increased summer precipitation, 256

Prairie, Y.T. *see* **Carcaillet, C.**

Press, M.C. *see* **Cornelissen, J.H.C.**

Pyšek, P. *see* **Mandák, B.**

Pyšek, P. *see* **Mandák, B.**

Reich, P.B. *see* **Dovšiak, M.**

Reich, P.B. *see* **Friedman, S.K.**

Richard, P.J.H. *see* **Carcaillet, C.**

Riera, N. *see* **Traveset, A.**

Robinson, C.H. *see* **Cornelissen, J.H.C.**

Rothstein, D.E. & Zak, D.R. Relationships between plant nitrogen economy and life history in three deciduous-forest herbs, 385

Ruess, R.W. *see* **Mulder, C.P.H.**

Ruess, R.W. *see* **Zacheis, A.**

Rydgren, K., de Kroon, H., Økland, R.H. & van Groenendael, J. Effects of fine-scale disturbances on the demography and population dynamics of the clonal moss *Hylocomium splendens*, 395

Rytkönen, S. *see* **Mustajärvi, K.**

Saarnisto, M. *see* **Mäkilä, M.**

Saksa, M. *see* **Virtanen, R.**

Scarano, F.R. *see* **Cirne, P.**

Schmid, B. *see* **Bergamini, A.**

Schmid, B. *see* **Groppe, K.**

Schwinning, S. & Ehleringer, J.R. Water use tradeoffs and optimal adaptations to pulse-driven arid ecosystems, 464

Shaver, G.R. *see* **Cornelissen, J.H.C.**

Shykoff, J.A. *see* **Kaltz, O.**

Siikamäki, P. *see* **Mustajärvi, K.**

Silvertown, J., Dodd, M. & Gowing, D. Phylogeny and the niche structure of meadow plant communities, 428

Simms, E.L. *see* **Maron, J.L.**

Singleton, R., Gardescu, S., Marks, P.L. & Geber, M.A. Forest herb colonization of post-agricultural forests in central New York State, USA, 325

Sipe, T.W. & Bazzaz, F.A. Shoot damage effects on regeneration of maples (*Acer*) across an understorey-gap microenvironmental gradient, 761

Sleep, D. *see* **Phoenix, G.K.**

Snyman, H.A. *see* **O'connor, T.G.**

Steinger, T. *see* **Groppe, K.**

Sterck, F.j. & Bongers, F. Crown development in tropical rain forest trees: patterns with tree height and light availability, 1

Stewart, G.H. *see* **Cullen, L.E.**

Stewart, G.H. *see* **Wells, A.**

Strand, J.A. & Weisner, S.E.B. Morphological plastic resposes to water depth and wave exposure in an aqautic plant (*Myriophyllum spicatum*), 166

Sümegi, P. *see* **Magyari, E.**

Sveinbjörnsson, B. *see* **Cornelissen, J.H.C.**

Sykes, M.T. *see* **Cowling, S.A.**

Takeda, H. *see* **Osada, N.**

Tapias, R., Gil, L., Fuentes-Utrilla, P. & Pardos, J.A. Canopy seed banks in Mediterranean pines of southeastern Spain: a comparison between *Pinus halepensis* Mill., *P. pinaster* Ait., *P. nigra* Arn. and *P. pinea* L., 629

Thompson, K., Hodgson, J.G., Grime, J.PHILIP & Burke, M.J.W. Plant traits and temporal scale: evidence from a 5-year invasion experiment using native species, 1054

Thrall, P.H., Burdon, J.J. & Young, A. Variation in resistance and virulence among demes of a plant host, 736

Thrall, P.H., Burdon, J.J. & Bock, C.H. Short-term epidemic dynamics in the *Cakile maritima–Alternaria* host–pathogen association, 723

Traveset, A., Riera, N. & Mas, R.E. Ecology of fruit-colour polymorphism in *Myrtus communis* and differential effects of birds and mammals on seed germination and seedling growth, 749

Valero, M. *see* **Engel, C.**

Verheyen, K. & Hermy, M. The relative importance of dispersal limitation of vascular plants in a secondary forest succession in Muizen Forest, Belgium, 829

Verhoeven, J.T.A. *see* **Olde Venterink, H.**

Virtanen, R., Muotka, T. & Saksa, M. Species richness–standing crop relationship in stream bryophyte communities: patterns across multiple scales, 14

© 2001 British Ecological Society,

de Visser, W. *see* **Heijmans, M.M.P.D.**
Wait, D.A. *see* **Forseth, I.N.**
Walker, L.R. *see* **Bellingham, P.J.**
Wallén, B. *see* **Aerts, R.**
Wardle, D.A. *see* **Bellingham, P.J.**
Wassen, M.J. *see* **Olde Venterink, H.**
Weisner, S.E.B. *see* **Strand, J.A.**
Wells, A., Duncan, R.P. & Stewart, G.H. Forest dynamics in Westland, New Zealand: the importance of large, infrequent earthquake-induced disturbance, 1006
Westphal, C.J. *see* **Clarke, P.J.**
Whittaker, J.B. Insects and plants in a changing atmosphere, 507
Wijesinghe, D.K., John, E.A., Beurskens, S. & Hutchings, M.J. Root system size and precision in nutrient foraging: responses to spatial pattern of nutrient supply in six herbaceous species, 972
Williamson, G.B. *see* **Mesquita, R.C.G.**
Wilson, S.D. *see* **Köchy, M.**

Yamamoto, S.-I. *see* **Miura, M.**
Young, A. *see* **Thrall, P.H.**

Zacheis, A., Hupp, J.W. & Ruess, R.W. Effects of migratory geese on plant communities of an Alaskan salt marsh, 57
Zak, D.R. *see* **Rothstein, D.E.**
Zamora, R. *see* **García, D.**
Zuidema, P.A. & Franco, M. Integrating vital rate variability into perturbation analysis: an evaluation for matrix population models of six plant species, 995
Zvereva, E.L. & Kozlov, M.V. Effects of pollution-induced habitat disturbance on the response of willows to simulated herbivory, 21

FORUM PAPERS

Bruun, H.H. On the seed mass–regional abundance relationship: the Eriksson & Jakobsson (1998) model does not apply to Danish grasslands, 300
Økland, R.H., Økland, T. & Rydgren, K. A Scandinavian perspective on ecological gradients in north-west European mires: reply to Wheeler and Proctor, 481

BIOLOGICAL FLORA OF THE BRITISH ISLES

Brooker, R.W., Carlsson, B.Å. & Callaghan, T.V. *Carex bigelowii* Torrey ex Schweinitz (*C. rigida* Good., non Schrank; *C. hyperborea* Drejer), 1072
Davy, A.J., Bishop, G.F. & Costa, C.S.B. *Salicornia* L. (*Salicornia pusilla* J. Woods, *S. ramosissima* J. Woods, *S. europaea* L., *S. obscura* P.W. Ball & Tutin, *S. nitens* P.W. Ball & Tutin, *S. fragilis* P.W. Ball & Tutin and *S. dolichostachya* Moss), 681
Gibson, D.J. & Newman, J.A. *Festuca arundinacea* Schreber (*F. elatior* L. subsp. *arundinacea* (Shreber) Hackel), 304
Partridge, J.W. Persicaria amphibia (L.) Gray (*Polygonum amphibium* L.), 487
Taylor, K., Rowland, A.P. & Jones, H.E. *Molinia caerulea* (L.) Moench, 126

BOOK REVIEWS

Hawksworth, D.L. (ed.) The Changing Wildlife of Great Britain and Ireland, 1098
Hunter, M.L., Jr (ed.) Maintaining Biodiversity in Forest Ecosystems, 504
Keddy, P.A. Wetland Ecology: Principles and Conservation, 903
Jones, H.G., Pomeroy, J.W., Walker, D.A. & Hoham, R. (eds) Snow Ecology: An Interdisciplinary Examination of Snow-covered Ecosystems, 1097
Ne'eman, G. & Trabaud, L. (eds) Ecology, Biogeography and Management of *Pinus halepensis* and *P. brutia* forest ecosystems in the Mediterranean Basin, 904
Nuttall, M. & Callaghan, T.V. (eds) The Arctic: Environment, People, Policy, 1096
Schwartzman, D. Life, Temperature and the Earth: The Self-organizing Biosphere, 708
West, R.G. Plant Life of Quaternary Cold Stages: Evidence from the British Isles, 502

SHORT REVIEWS

Kitching, R.L. Food Webs and Container Habitats: The Natural History and Ecology of Phytotelmata, 904
Smout, T.C. Nature Contested: Environmental History in Scotland and Northern England since 1600, 904

© 2001 British Ecological Society,